



MadCap Doc-To-Help Single Sourcing for Multiple Outputs

PRESENTED BY

Robin Stefani

Technical Training & Communications Manager
STEALTHbits Technologies, Inc.



AGENDA

- Background
- Word Best Practices
- Create Doc-To-Help Project from One Document
- Adding Documents to a Project
- Questions & Answers

Background

MY COMPANY'S PROBLEM

- Multiple content sources
- Multiple outputs for each source
- Additional outputs desired
- No content management system available
- My skills were in working with Microsoft Word

The Solution: Doc-To-Help


Doc-to-Help (a.k.a. D2H)

- Work in Word
- Generate all outputs:
 - In-product help (CHM file)
 - Website (HTML files)
 - Downloadable (PDFs)
- Easy to work with




Word Best Practices


D2H FORMAT OPTIONS



- Collapsible Section
- Conditional Text
- Inter-document Link
- Multimedia
- Auto-Index
- And more...



COLLAPSIBLE SECTIONS



Chapter 2: Navigation & Configuration Of The SI Admin Console

STEALTHINTERCEPT USER GUIDE V5.2

Search...

- Export Policies and Templates Window
- Import Window
- SI System Alerting Window
- Users and Roles Window
- Event Database Configuration Window
- Database Maintenance Window
- Database Partitioning Window
- Collection Manager Window
- Event Filtering Configuration Window**
- File Monitor Settings Window

and click **Save**. All *Authentication Global Pre Filters* options require configuration before they can be enabled.

RECOMMENDED: Enable **all** of the *AD Global Pre Filters* options as well as the **Exclude Logins from Machine Accounts** option in the *Authentication Global Pre Filters* section.

When activated, the SI Agent(s) filters out the event data according to configuration defined in the *filters.json* file located in the installation directory of the Enterprise Manager.

The 'Help' icon (?) opens a window which explains the type of "noise" events being filtered.

- Exclude 'Noise' Events Option
- Exclude AD DNS Events Option
- Exclude Logins From Machine Accounts Option
- Exclude Authentication Events From Selected Hosts Option
- Exclude Authentication Events From Selected Accounts Option

More:

- Chapter 2: Navigation & Configuration of the SI Admin Console

Contents Index Favorites

BULLETED LISTS & TABLES

Bulleted Lists

- Bullets do not always render correctly
- Wingding Arrow (➤) became a Greek letter (Φ)
- Create a test project to find your bullets

Tables

- Keep it simple
- Do NOT merge cells
- Use cell format options

TABLES: FROM WORD TO WEBSITE

StealthAUDIT® Management Platform

STEALTHbits
TECHNOLOGIES

Exception definitions that can be customized have the following default values for the customizable parameters:

| Analysis Task | Customizable Parameter Name | Default Value | Value Indicates |
|----------------------|-----------------------------|---|---|
| Large Groups | @LARGE_THRESHOLD | 10 | A group object with 10 members or more |
| Deeply Nested Groups | @NESTING_THRESHOLD | 1 | A group object nested 1 level or deeper within another group object |
| Stale Users | @STALE_THRESHOLD | 60 | A user object that has been inactive for 60 days or more |
| | @INCLUDE_DISABLED | True | A user object that has been disabled |
| | @INCLUDE_EXPIRED | True | A user object that has expired |
| Stale Membership | @STALE_THRESHOLD | 10 | A group with 10% of its effective members are stale users |
| Large Token | @TOKEN_THRESHOLD | 10 | A user object with effective membership in more than 10 group objects |
| Admin Historical SID | #ADMIN_GROUPS | → Domain Admins → Enterprise Admins → Schema Admins | List of administrative groups |

Active Directory Inventory Solution

STEALTHAUDIT MANAGEMENT PLATFORM USER
GUIDE V8.2

Search...

Exception definitions that can be customized have the following default values for the customizable parameters:

| Analysis Task | Customizable Parameter Name | Default Value | Value Indicates |
|----------------------|-----------------------------|---|---|
| Large Groups | @LARGE_THRESHOLD | 10 | A group object with 10 members or more |
| Deeply Nested Groups | @NESTING_THRESHOLD | 1 | A group object nested 1 level or deeper within another group object |
| Stale Users | @STALE_THRESHOLD | 60 | A user object that has been inactive for 60 days or more |
| | @INCLUDE_DISABLED | True | A user object that has been disabled |
| | @INCLUDE_EXPIRED | True | A user object that has expired |
| Stale Membership | @STALE_THRESHOLD | 10 | A group with 10% of its effective members are stale users |
| Large Token | @TOKEN_THRESHOLD | 10 | A user object with effective membership in more than 10 group objects |
| Admin Historical SID | #ADMIN_GROUPS | → Domain Admins → Enterprise Admins → Schema Admins | List of administrative groups |

See the [Customize Analysis Parameters for the 3-AD_Exceptions Job](#) section for instructions to modify parameters. See [AD Exception Types Translated](#) section for an explanation of Exception Types.

More:

- Active Directory Inventory Solution
- Customize Analysis Parameters for the 3-AD_Exceptions Job


Contents Index Favorites

Create Doc-To-Help
Project from One
Document


FINAL PREPARATIONS FOR NEW D2H PROJECT

Is the Navigation pane exactly as you expect?

- No blank headings
- Fake headings applied
- Remove existing Table of Contents




CREATE A NEW PROJECT




- Start with blank Word file
- Navigate to:
 - File
 - Doc-To-Help
 - Open/Create
 - » New Project
- New Project Wizard opens

NAME YOUR PROJECT

- Project File Name
- Choose location
- My Doc-To-Help Projects folder is default location
- Team Authoring is an option:
 - File Repository
 - Web Repository
 - Team Foundation Server




NEW PROJECT WIZARD




Default Language

- Language you work in



Source Template

- Template of original Word file




Default Target

- Most complex target

IMPORT DOCUMENT WIZARD


Starting Content

- Existing Word
- New Word




Document Location

- File Repository
- SharePoint




Select Files

- Navigate to file
- Can import multiple files



FIRST PROJECT

Three Ribbons in Word



Doc-To-Help

- Word-based formats & features

Target

- Target-based features & properties

Project

- Project-based features & properties

Navigation

Search document

HEADINGS | PAGES | RESULTS

- Chapter 1: StealthINTERCEPT Overview
 - Understanding StealthINTERCEPT Components
 - Software Components
 - Analytics
 - Policies & Policy Templates
 - Database Components
 - Solution Overview
 - StealthINTERCEPT for Active Directory
 - StealthINTERCEPT for Enterprise Password Enforcement
 - StealthINTERCEPT for Exchange
 - StealthINTERCEPT for File System
 - StealthINTERCEPT for LDAP
 - Getting Started with StealthINTERCEPT
 - Chapter 2: Navigation & Configuration of the SI Admin Console
 - Export Policies and Templates Window
 - Import Window
 - SI System Alerting Window
 - Email Tab
 - Event Log Tab
 - SIEM Tab
 - Users and Roles Window
 - Add SI Users
 - Modify SI User Assigned Rights
 - Delete SI User
 - Event Database Configuration Window
 - Database Maintenance Window
 - Archive Data
 - Configure Database Maintenance
 - Schedule Database Maintenance
 - Database Partitioning Window
 - Collection Manager Window
 - List of Collections Window
 - Dynamic Collections
 - Expand Group Option for Perpetrators & Objects Collecti...

Doc-To-Help Project

Documents

- SI_AdminConsoleUserGuide.docx

Project Settings

General

Location:

Title:

Documents

Default CSS:

Default template:

Document folder(s):

Output options

Keep outline numbers Adjust left indent

Keep page breaks Plain text popups

URL mode:

Truncate file name length:

'On Page' text:

Is modular hub project

Context IDs

Generate context IDs automatically

ID offset:

Dynamic Help

PDF Guide

You are here: [Features](#) > [Managing Your Project](#)

> [Project Properties and Settings](#) > [Setting](#)

Project Properties

Setting Project Properties

The Project Settings dialog is used to set the universal properties for the entire project, regardless of target.

▶ HOW TO SET PROJECT PROPERTIES

OK Cancel


Documents

Contents

Index and Groups


Variables

Related Topics




SI Admin Console User Guide

PROJECT SETTINGS



- Affect all outputs
- Source template
 - Translates styles from Word
- Provide granular control


NetHelp TARGET PROPERTIES




- Only affect selected target output
- Control style & format
- NetHelp Specific: Caption displays at the top of the output

NetHelp TARGET PROPERTIES: THEME

- Theme manages the skin of the output
- Several available pre-configured themes
- Can be customized with ThemeRoller



BUILD THE TARGET OUTPUT



Two Options:

- **Build**
 - Incorporates text changes only
 - Takes less time
- **Rebuild**
 - All modifications included
 - Takes longer

Navigation

Search document

HEADINGS PAGES RESULTS

- Chapter 1: StealthINTERCEPT Overview
 - Understanding StealthINTERCEPT Components
 - Software Components
 - Analytics
 - Policies & Policies
 - Database Components
 - Solution Overview
 - StealthINTERCEPT
 - StealthINTERCEPT
 - StealthINTERCEPT
 - StealthINTERCEPT
 - StealthINTERCEPT
 - Getting Started with StealthINTERCEPT
 - Chapter 2: Navigation
 - Export Policies and Templates Window
 - Import Window
 - SI System Alerting
 - Email Tab
 - Event Log Tab
 - SIEM Tab
 - Users and Roles Window
 - Add SI Users
 - Modify SI User Assigned Rights
 - Delete SI User
 - Event Database Configuration Window
 - Database Maintenance Window
 - Archive Data
 - Configure Database Maintenance
 - Schedule Database Maintenance
 - Database Partitioning Window
 - Collection Manager Window
 - List of Collections Window
 - Dynamic Collections
 - Expand Group Option for Perpetrators & Objects

Doc-To-Help Project

Documents

- SI_AdminConsoleUserGuide.docx

Collapsible Section

Header: Status Bar

Text

The Status Bar is located in the lower-left corner of the SI Admin Console. It displays the 'Current User' account logged into StealthINTERCEPT.

Options

Expanded

Collapsed

Close help

Dynamic Help

PDF Guide

You are here: [Features](#) > [Documents](#), [Templates, and Content](#) > [Navigation](#)

[Links](#) > [Expanding/Collapsing Section](#)

Creating Expanding/Collapsing

OK Cancel

Copyright 2018 STEALTHbits TECHNOLOGIES, INC. ALL RIGHTS RESERVED Doc_ID 371

Stealth INTERCEPT®

STEALTHbits TECHNOLOGIES

| | | |
|------|---|--|
| | | excluded, which require configuration before being enabled. These options are configured in the Event Filtering Configuration window . |
| | File Monitor Settings | Manages the log retention for StealthINTERCEPT file monitoring and blocking policies in a global setting. The retention (in days) is set in the File Monitor Settings window . |
| Help | Administration Console Help | Open the internal help documentation |
| | License Manager | Opens the StealthINTERCEPT License Manager window where Customer, License, and Licensed Modules are displayed |
| | About StealthINTERCEPT Administration Console | Opens the StealthINTERCEPT Administration Console window where the SI version, copyright, and the STEALTHbits website link are displayed |

Status Bar

The **Status Bar** is located in the lower-left corner of the SI Admin Console.



It displays the 'Current User' account logged into StealthINTERCEPT.

Export Policies and Templates Window

The Export Policies and Templates window is for configuring what will be exported to the XML file. If opened through the *Menu's Tools > Export...* option, then everything will be exported. If opened via the keyboard shortcut (**Alt+X**) while within the [Policies](#) or [Templates](#) interfaces, it exports only what is within the selection. To export only a single policy or template, use the [Policies node right-click menu](#) or

 **Robin Stefani**
D2H set as collapsible

APPLY COLLAPSIBLE SECTIONS

- Keep content with parent heading in output
- Fake heading used in word

Status Bar

The *Status Bar* is located in the lower-left corner of the SI Admin Console.



It displays the 'Current User' account logged into StealthINTERCEPT.

Collapsible Section

Header: **Status Bar**

Text

The *Status Bar* is located in the lower-left corner of the SI Admin Console.
It displays the 'Current User' account logged into StealthINTERCEPT.

Options

Expanded

Collapsed

Close help

Dynamic Help

PDF Guide

You are here: [Features](#) > [Documents](#),
[Templates, and Content](#) > [Navigation](#)
[Links](#) > [Expanding/Collapsing Section](#)

Creating Expanding/Collapsing

OK Cancel

SI Admin Console User Guide

STEALTHINTERCEPT USER GUIDE V5.2

Search...


StealthINTERCEPT User Guides / SI Admin Console User Guide / Chapter 2: Navigation & Configuration of the SI Admin Console

Expand All Collapse All

Chapter 2: Navigation & Configuration Of The SI Admin Console

The StealthINTERCEPT (SI) Administration Console is used to create and configure policies and policy templates, configure analytics, deploy and manage SI Agents, import and export SI policies and policy templates, and configure alerts. Policies control the real-time event monitoring/blocking of files and directories, users, groups, Active Directory objects, and Microsoft Exchange objects. These policies enable SI to detect and report changes as well as send notification when changes occur.

This chapter provides an introduction to the primary components of the SI Admin Console, and it explains the console configuration options. The SI Admin Console is comprised of the following components:



- Menu
- Policy Center
- LDAP Operations Center
- Status Bar

There are also right-click commands available within different sections of the [Policy Center](#).

See [Chapter 9](#) for information the LDAP Operations Center.

If at any time, the SI Admin Console user interface or windows do not display completely, see [Chapter 10](#) for information.

Icon Key

Menu

Status Bar

Contents Index Favorites

- First row in selection = Collapsed section heading

Navigation

Search document

HEADINGS PAGES RESULTS

- Chapter 1: StealthINTERCEPT Overview
 - Understanding StealthINTERCEPT Components
 - Software Components
 - Analytics
 - Policies & Policy Templates
 - Database Components
 - Solution Overview
 - StealthINTERCEPT for Active Directory
 - StealthINTERCEPT for Enterprise Password Enf...
 - StealthINTERCEPT for Exchange
 - StealthINTERCEPT for File System
 - StealthINTERCEPT for LDAP
 - Getting Started with StealthINTERCEPT
 - Chapter 2: Navigation & Configuration of the SI Ad...
 - Export Policies and Templates Window
 - Import Window
 - SI System Alerting Window
 - Email Tab
 - Event Log Tab
 - SIEM Tab
 - Users and Roles Window
 - Add SI Users
 - Modify SI User Assigned Rights
 - Delete SI User
 - Event Database Configuration Window
 - Database Maintenance Window
 - Archive Data
 - Configure Database Maintenance
 - Schedule Database Maintenance
 - Database Partitioning Window
 - Collection Manager Window
 - List of Collections Window
 - Dynamic Collections
 - Expand Group Option for Perpetrators & Obj...

Doc-To-Help Project

Related Topics

- Chapter 1: StealthINTERCEPT Overview
 - Understanding StealthINTERCEPT Components
 - Software Components
 - StealthINTERCEPT Agent Information
 - Domain Controllers
 - Exchange Servers
 - Windows File Servers
 - NAS Device & Proxy Servers for NAS File Activity Monitoring
 - Analytics
 - Policies & Policy Templates
 - Policies
 - Policy Templates
 - Database Components
 - Solution Overview
 - StealthINTERCEPT for Active Directory
 - StealthINTERCEPT for Enterprise Password Enforcement
 - StealthINTERCEPT for Exchange
 - StealthINTERCEPT for File System
 - StealthINTERCEPT for LDAP
 - Getting Started with StealthINTERCEPT
 - Chapter 2: Navigation & Configuration of the SI Admin Console
 - Chapter 3: Policy Center
 - Chapter 4: Policy & Template Configuration

Documents Contents Index and Groups Variables Related Topics

One Related Topic

- Custom related topics
 - Windows File Servers (SI_AdminConsoleUserGuide.docx)

Doc-To-Help Project

Topics

Filter View Contents Index Related Topics Print and Export Properties Open

| Title | Document | Style | Type |
|--|---|-----------|------------|
| Chapter 1: StealthINTERCEPT Overview | Documents\SI_AdminConsoleUserGuide.docx | Heading 1 | Contents |
| Understanding StealthINTERCEPT Compone... | Documents\SI_AdminConsoleUserGuide.docx | Heading 2 | Conceptua |
| Software Components | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| StealthINTERCEPT Agent Information | Documents\SI_AdminConsoleUserGuide.docx | Heading 4 | Conceptua |
| Domain Controllers | Documents\SI_AdminConsoleUserGuide.docx | Heading 5 | Conceptua |
| Exchange Servers | Documents\SI_AdminConsoleUserGuide.docx | Heading 5 | Conceptua |
| Windows File Servers | Documents\SI_AdminConsoleUserGuide.docx | Heading 5 | Conceptua |
| NAS Device & Proxy Servers for NAS File Ac... | Documents\SI_AdminConsoleUserGuide.docx | Heading 5 | Conceptua |
| Analytics | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| Policies & Policy Templates | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| Policies | Documents\SI_AdminConsoleUserGuide.docx | Heading 4 | Conceptua |
| Policy Templates | Documents\SI_AdminConsoleUserGuide.docx | Heading 4 | Conceptua |
| Database Components | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| Solution Overview | Documents\SI_AdminConsoleUserGuide.docx | Heading 2 | Conceptua |
| StealthINTERCEPT for Active Directory | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| StealthINTERCEPT for Enterprise Password ... | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| StealthINTERCEPT for Exchange | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| StealthINTERCEPT for File System | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| StealthINTERCEPT for LDAP | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| Getting Started with StealthINTERCEPT | Documents\SI_AdminConsoleUserGuide.docx | Heading 2 | Conceptua |
| Chapter 2: Navigation & Configuration of th... | Documents\SI_AdminConsoleUserGuide.docx | Heading 1 | Contents |
| Export Policies and Templates Window | Documents\SI_AdminConsoleUserGuide.docx | Heading 2 | Conceptua |
| Import Window | Documents\SI_AdminConsoleUserGuide.docx | Heading 2 | Conceptua |
| SI System Alerting Window | Documents\SI_AdminConsoleUserGuide.docx | Heading 2 | Conceptual |
| Email Tab | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| Configure SMTP Host Information | Documents\SI_AdminConsoleUserGuide.docx | Heading 4 | Conceptua |
| Create Message Profiles | Documents\SI_AdminConsoleUserGuide.docx | Heading 4 | Conceptua |
| Event Log Tab | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| SIEM Tab | Documents\SI_AdminConsoleUserGuide.docx | Heading 3 | Conceptua |
| Configure SIEM Server | Documents\SI_AdminConsoleUserGuide.docx | Heading 4 | Conceptua |
| Adding a Custom SIEM Mapping File | Documents\SI_AdminConsoleUserGuide.docx | Heading 4 | Conceptua |
| Users and Roles Window | Documents\SI_AdminConsoleUserGuide.docx | Heading 2 | Conceptua |

Menu

Policy Center

LDAP Operations Center

→ Menu

→ Policy Center

→ LDAP Operations Center

→ Status Bar

There are also right-click commands available.

See [Chapter 9](#) for information the LDAP.

If at any time, the SI Admin Console use [10](#) for information.

24

Copyright 2018 SI

StealthINTERCEPT®



Icon Key

RELATED TOPICS


Always provide the next logical step.

The screenshot displays the 'Doc-To-Help Project' interface. On the left, the 'Related Topics' pane shows a tree view of the help content. The 'Exchange Servers' item is highlighted, and a red arrow points to the 'Windows File Servers' item in the 'Topics' table on the right. At the bottom of the 'Related Topics' pane, a red box highlights the 'Custom related topics' section, which contains the entry 'Windows File Servers (SI_AdminConsoleUserGuide.docx)'.


| Title | Document |
|---|----------|
| Chapter 1: StealthINTERCEPT Overview | Document |
| Understanding StealthINTERCEPT Components | Document |
| Software Components | Document |
| StealthINTERCEPT Agent Information | Document |
| Domain Controllers | Document |
| Exchange Servers | Document |
| Windows File Servers | Document |
| NAS Device & Proxy Servers for NAS File Activity Monitoring | Document |
| Analytics | Document |
| Policies & Policy Templates | Document |
| Policies | Document |
| Policy Templates | Document |
| Database Components | Document |
| Solution Overview | Document |
| StealthINTERCEPT for Active Directory | Document |
| StealthINTERCEPT for Enterprise Password Enforcement | Document |
| StealthINTERCEPT for Exchange | Document |
| StealthINTERCEPT for File System | Document |
| StealthINTERCEPT for LDAP | Document |
| Getting Started with StealthINTERCEPT | Document |
| Chapter 2: Navigation & Configuration of the SI Admin Console | Document |
| Chapter 3: Policy Center | Document |
| Chapter 4: Policy & Template Configuration | Document |



Add a Second Output



HTML Help TARGET PROPERTIES



- Theme manages the skin of the output
- Base name becomes the file name
 - Important for in-product help purposes

Navigation

Search document

HEADINGS PAGES RESULTS

- Chapter 1: StealthIN
 - Understanding S
 - Software Cor
 - Analytics
 - Policies & Po
 - Database Cor
 - Solution Overvie
 - StealthINTER
 - StealthINTER
 - StealthINTER
 - StealthINTER
 - StealthINTER
 - Getting Started
 - Chapter 2: Navigati
 - Export Policies a
 - Import Window
 - SI System Alerting Window
 - Email Tab
 - Event Log Tab
 - SIEM Tab
 - Users and Roles Window
 - Add SI Users
 - Modify SI User Assigned Rights
 - Delete SI User
 - Event Database Configuration Window
 - Database Maintenance Window
 - Archive Data
 - Configure Database Maintenance
 - Schedule Database Maintenance
 - Database Partitioning Window
 - Collection Manager Window
 - List of Collections Window
 - Dynamic Collections
 - Expand Group Option for Perpetrators & Obj...

Doc-To-Help Project

Documents

SI_AdminConsoleUserGuide.docx

Conditional Text

Text: See the STEALTHbits Activity Monitor Installation Console ...

Conditional properties

Platforms: [Dropdown]

Targets: HTML Help

Attributes: [Dropdown]

HTML passthrough code

Options

Hide properties in document

Text in comment

Close help

Documents

Contents

Index and Groups

Variables

Related Topics

the same host to the **Monitored Host** tab in the STEALTHbits Activity Monitor Console to be used by the other product.

NAS Device & Proxy Servers for NAS File Activity Monitoring

For Network-Attached Storage (NAS) device support, no SI Agents are deployed on the NAS device. Instead, StealthINTERCEPT employs the STEALTHbits Activity Monitor, which deploys its own activity agents to Windows servers acting as proxy servers for NAS activity monitoring. The SI Agent must be installed on the Windows server where the STEALTHbits Activity Monitor's activity agent resides. See the [STEALTHbits Activity Monitor Installation & Console User Guide](#) for additional information. See the [STEALTHbits Activity Monitor Installation & Console User Guide](#) for additional information.

NOTE: The STEALTHbits Activity Monitor activity agent configuration dictates what file system activity is being monitored. The activity agent writes activity log files on the proxy server. The SI Agent

14

Copyright 2018 STEALTHBITS TECHNOLOGIES, INC. ALL RIGHTS RESERVED

Doc_ID:371

Sb

Doc-To-Help
D2HML|CLH Conditional|target=NetHelp

StealthINTERCEPT®

monitors the activity log files as the data is written and sends events to the StealthINTERCEPT event database according to the enabled policy configuration.

Supported Platforms for STEALTHbits Activity Monitor Agent & SI Agent deployment

- Windows® Server 2016
- Windows® Server 2012 R2
- Windows® Server 2012
- Windows® 2008 R2 (Activity Monitoring requires Service Pack 1 + KB3097966)

Supported NAS Devices to Monitor

- NetApp® Data ONTAP®:
 - 7-Mode 7.3+
 - Cluster-Mode 8.2+
- EMC® Celerra® 6.0+
- EMC® VNX®:
 - VNX 7.1
 - VNX 8.1

STEALTHbits TECHNOLOGIES

CONDITIONAL STATEMENTS


NetHelp output will link to the website document.

NAS Device & Proxy Servers for NAS File Activity Monitoring

For Network-Attached Storage (NAS) device support, no SI Agents are deployed on the NAS device. Instead, StealthINTERCEPT employs the STEALTHbits Activity Monitor, which deploys its own activity agents to Windows servers acting as proxy servers for NAS activity monitoring. The SI Agent must be installed on the Windows server where the STEALTHbits Activity Monitor's activity agent resides. See the [STEALTHbits Activity Monitor Installation & Console User Guide](#) for additional information.

NOTE: The STEALTHbits Activity Monitor activity agent configuration dictates what file system activity is being monitored. The activity agent writes activity log files on the proxy server. The SI Agent

 **Robin Stefani**
D2H Conditional relink
NetHelp change link to
<https://www.stealthbits.com/sam-user-guide>
StealthINTERCEPT to PDF



HTML output will link to the downloadable document.

Project displays conditional statement.


NAS Device & Proxy Servers for NAS File Activity Monitoring

For Network-Attached Storage (NAS) device support, no SI Agents are deployed on the NAS device. Instead, StealthINTERCEPT employs the STEALTHbits Activity Monitor, which deploys its own activity agents to Windows servers acting as proxy servers for NAS activity monitoring. The SI Agent must be installed on the Windows server where the STEALTHbits Activity Monitor's activity agent resides. See the [STEALTHbits Activity Monitor Installation & Console User Guide](#) for additional information. See the [STEALTHbits Activity Monitor Installation & Console User Guide](#) for additional information.

NOTE: The STEALTHbits Activity Monitor activity agent configuration dictates what file system activity is


 **Doc-To-Help**
D2HML|CLH Conditional|target=NetHelp

MULTIPLE OUTPUTS OF THE SAME TARGET TYPE



- Add New Target
- Copy properties for existing target
- Provide unique, descriptive name

Manual TARGET PROPERTIES




- Target template manages the skin of the output
- Base name becomes the file name for both Word & PDF
- Customize title page

THREE OUTPUTS FROM ONE SOURCE DOCUMENT


A screenshot of a web browser displaying the 'StealthINTERCEPT User Guides' page. The page title is 'StealthINTERCEPT User Guides V5.2'. It features a search bar at the top and a list of user guides on the left sidebar. The main content area lists several guides with brief descriptions and links to download PDFs:

- Installation & Upgrade User Guide**: This guide is intended to provide information on the installation of StealthINTERCEPT and explain the deployment of the SI Agents. It also includes the information needed to upgrade StealthINTERCEPT components to the latest version.
- SI Admin Console User Guide**: This guide is intended to provide StealthINTERCEPT users with everything they need to use the SI Admin Console, which is the user interface for administering the StealthINTERCEPT software.
- SI Reporting Console User Guide**: This guide is intended to provide StealthINTERCEPT users with everything they need to use the SI Reporting Console, which is the user interface for generating and viewing reports for the active policies configured in the SI Admin Console.
- STEALTHbits Active Directory App for Qlikview User Guide**: This guide describes how to integrate STEALTHbits StealthINTERCEPT with Qlikview® with the STEALTHbits Active Directory App for Qlikview.
- STEALTHbits Active Directory App for Splunk User Guide**: This guide describes how to integrate STEALTHbits StealthINTERCEPT with Splunk® with the STEALTHbits Active Directory App for Splunk.
- STEALTHbits Threat Hunting App for Splunk User Guide**: This guide describes how to integrate STEALTHbits StealthINTERCEPT with Splunk® with the STEALTHbits Threat Hunting App for Splunk.

At the bottom, there is a 'More' section with a list of links to the same guides.



A screenshot of an Adobe Reader window displaying the 'STEALTHbits SI Admin Console User Guide.pdf'. The document cover features a cityscape background with a laptop and a mug. The title 'StealthINTERCEPT' is prominently displayed at the top. Below the title, the 'SI' logo is shown, followed by the main title 'SI Admin Console User Guide' and the year '2018'. The STEALTHbits logo is at the bottom left, and contact information is at the bottom right.



A screenshot of a PDF viewer showing the 'StealthINTERCEPT User Guide' content. The left sidebar contains a 'Contents' table of contents with the following items:

- Chapter 1: StealthINTERCEPT Overview
- Chapter 2: Navigation & Configuration of the SI Admin C
- Chapter 3: Policy Center
- Chapter 4: Policy & Template Configuration
- Chapter 5: Event Filters
- Chapter 6: Policy Templates
- Chapter 7: Templates for Reports
- Chapter 8: StealthINTERCEPT Analytics Guide
- Chapter 9: LDAP Operations Center
- Chapter 10: Troubleshooting within the SI Admin Consol
- Chapter 11: Best Practices for StealthINTERCEPT User
- Note Information
- Appendices - SI Admin Console User Guide

The main content area displays 'Chapter 1: StealthINTERCEPT Overview'. The text describes the product's role in safeguarding organizations from internal threats and provides an overview of its capabilities, including inspection, alerting, and policy enforcement.

Adding Documents to a Project

MULTIPLE DOCUMENTS IN A PROJECT

- Content gets messy for some outputs
- “Intro” document creates landing page
 - Heading 1 for landing page title
 - Heading 2 for document title
- Customize Table of Contents

StealthINTERCEPT User Guide

The StealthINTERCEPT® (SI) consoles each have their own user guide.

SI Installation & Upgrade User Guide

This guide is intended to provide information on the installation of StealthINTERCEPT and explain the deployment of the SI Agents. It also includes the information needed to upgrade StealthINTERCEPT components to the latest version. [Click here](#) to download a PDF of this guide.

SI Admin Console User Guide

This guide is intended to provide StealthINTERCEPT users with everything they need to use the SI Admin Console, which is the user interface for administering the StealthINTERCEPT software. Manage SI users, SI Agents, and create and manage all policies through this console. [Click here](#) to download a PDF of this guide.


SI Installation & Upgrade User Guide

The *SI Installation & Upgrade User Guide* consists of the following chapters:


SI Admin Console User Guide

The *SI Admin Console User Guide* consists of the following chapters:

IMPORT ADDITIONAL DOCUMENTS





- Import all new documents
- Order documents logically



CONDITIONAL DOCUMENTS

- New documents for NetHelp output only
- Original document for all existing outputs




INTER-DOCUMENT LINKS

SIEM ports are configured when SIEM alerting is enabled within the SI Admin Console. Please see the [SI System Alerting Window](#) section of the [SI Admin Console User Guide](#) for additional information.



- Link between documents in the same project
- Apply condition statement for various outputs

SIEM ports are configured when SIEM alerting is enabled within the SI Admin Console. Please see the [SI System Alerting Window](#) section of the [SI Admin Console User Guide](#) for additional information.





CUSTOMIZE THE TABLE OF CONTENTS

- Use target-specific option
- Align sections for each document
- Remove sections not needed for output
- Organized & easy to follow




ADDITIONAL OUTPUTS



- Add all needed outputs
- Set conditional document targets

FINAL PROJECT



- 1 Doc-To-Help project
- 7 Word documents
- 1 HTML Help output (CHM)
- 2 NetHelp outputs
- 6 PDF outputs

Questions & Answers

Thank You!



Contact Information:

Robin Stefani

Technical Training & Communications Manager

Robin.Stefani@stealthbits.com

www.linkedin.com/in/robin-stefani-0b32a885