



Fred NXT Case Study: From Tripane to a Modern Website Using MadCap Flare's Templates



PRESENTED BY:

Sophie Lissonnet, Technical Writer and Information Management Specialist | Fred IT



BEFORE WE GET STARTED...



The webinar will be recorded
and emailed to all registrants



Use the Question Panel in
GoToWebinar to ask questions
throughout the webinar



Established in 1992, Fred IT Group is Australia's largest IT provider to pharmacy. Our team of over 200 people provide IT services and systems to over 3,000 pharmacies

Fred offers business wide solutions and services to the pharmacy and health industries including:

› **Fred NXT**


Australia's first cloud based management platform developed specifically for pharmacy.

› **eRx Script Exchange**

Australia's first and largest ePrescription exchange service, providing a secure and safe transmission of prescription information between doctors and pharmacists.

› **MedView - Australia's Medication Cloud**

Cloud based platform for healthcare professionals and patients, providing tools to support the provision of medications management, patient management and professional services.



The future of integrated pharmacy management

The Fred NXT solution is built for mobility, designed for touch and connected to the cloud


- › A simple, integrated approach to managing all aspects of a pharmacy
- › Connects pharmacies to their customers, and other pharmacies and health professionals.

Starting point - TriPane

- › MadCap Flare 9
- › TriPane skin
- › MadCap Pulse (on trial as NXT Support)
- › Branding - in progress
- › Product stack naming - in progress

Issue reported by on-site observation

- › Search in top right corner



TriPane – Sample topic


- › Breadcrumb
- › No images
- › Place holders for videos
- › Footer


You are here: [Fred NXT POS](#) > How to assign and unassign a swipe proximity device


How to assign and unassign a scanning device

Basic Transactions

A scanning device can be used to log on to Fred NXT POS. A scanning device is assigned to each user by the store manager (or Administrator user). Alternatively, you can use your Operator ID code and password to access Fred NXT POS. If you lose or misplace your swipe, you must report it to your store manager (or Administrator user). The swipe can be unassigned to prevent it from being misused.

 **Important:** The user must have security permissions enabled to perform this task.

 **Assign a scanning device**

 **Unassign a scanning device**

1. Log on to Fred NXT POS using your preferred method.

2. Tap **Drawer Ops**.

3. Tap **Manager Ops**.

4. Tap **Extend Log on**.

5. Tap the relevant User name.

6. Tap **Unassign**.

Related Topics

- [How to exit POS](#)
- [How to process a basic transaction](#)

Get Fred Certified. Visit the [Fred Academy](#).

FRED ACADEMY

[Fred IT](#) | [Fred Academy](#) | [Help + Support](#) | © Fred IT Group Pty Ltd 2015 | [Privacy Policy](#) |

How to assign and unassign a scanning device - Any tips we missed? Need more information? Let us know in the comments section below.


Tap **Register** to join the Fred Community. Read the [Fred Community FAQ](#).

Current - TopNav

- › Branded and linked to corporate site

<https://www.fred.com.au/support/support/>

- › Released May 2016
 - MadCap Flare 11 > 12
 - Pulse: Implemented for usage statistics and search reports.



- <http://webhelp.fred.com.au/nxt/>

Home Page - Two targets

- › 3 x 2 tiles
- › Separate destination
- › Conditional Tag

Skin


Hero image

News

4 x 2 grid - NXT

3 x 2 grid - *Named Group*

Footer



TopNav – Topic elements

- › Side menu
- › Screenshots
- › Videos (on Vimeo)
- › Deprecated print format
- › Hovermaps (Mike Kelley)
- › Tabs (plug-in)
- › Revised Oct/Nov 2017


The screenshot displays the FRED web application interface. At the top is a green header with the 'FRED' logo and navigation links: Fred NXT, Release Notes, Orientation, Additional Resources, and Fred Support. Below the header is a search bar. The main content area shows a breadcrumb trail: Fred NXT > Fred NXT Dispense > Manual dispensing > Schedule 3 drugs. The title 'Schedule 3 drugs' is prominently displayed. A green button labeled 'Manual Dispense' is visible. Below this, a note states: 'Before dispensing Schedule 3 drugs, you must select the correct Script Type in Fred NXT Dispense.' A green button labeled 'Dispense Schedule 3 drugs' is present. The 'Dispense Schedule 3 drugs' section contains a list of instructions: 1. From the Main Dispense screen, start dispensing as per normal. 2. Tap S3 to toggle to S3 dispensing. Below the instructions is a form with fields for 'Script Date' (27/04/17), 'Status' (Normal), 'Prescriber' (empty), and 'Script Type' (Sched Three ...). A toggle for 'S3' is set to 'Yes'. Below the form, a note states: 'The S3 field is set to Yes. The Script Type is set to Sched Three. All the fields, that are no longer required, are disabled.' A third instruction follows: '3. Complete the dispensing as per normal.' A 'Related Topics' section lists links: CTG scripts, Regulation 24 scripts, and Continued Supply. On the right side, a sidebar menu titled 'Manual dispensing' lists various options: Dispensing basic, Edit scripts, Generic substitution, Defer a script, Extemp, Non-dispensary (OTC), Owing scripts, and 'Schedule 3 drugs' (which is highlighted). Below 'Schedule 3 drugs' are more options: Dispense a CTG script, Regulation 24 scripts, Regulation 25 scripts, Continued Supply, Repat patients, Medication Chart dispensing, Prescriber Bag, Enhanced scan check, and FinalCheck.

Out-of-the-Box Templates + HTML + CSS + ...

- › Template
- › Master Page
 - Layout and proxies
- › Back to top
- › Mini ToC
- › Header Home vs. Main
- › Hover effect menu item
- › News ribbon
- › Toolbar with custom buttons

New project – TopNav Advanced template

- › Home + CSS + MasterPage
- › Topic + CSS + MasterPage
- › Table of Contents
- › Skin
- › Skin components
- › Target



Existing project – New elements

- › Use existing Project
- › Create simple ToC
- › Use topics with known “pain points”
- › Increment number of topics in ToC
- › Add images (Skin, Favicon)
- › Faster test builds – Local builds only
- › Check existing content in new Output


New site – code side

- › Interaction Topic + CSS + MasterPage
- › Replace native text and graphic elements
- › Place page elements
 - Basic <DIV> layout
 - Proxies vs code
 - Topic vs MasterPage
- › Modify CSS
- › Sample notation

```
</div>
<div class="small-12 medium-3 columns">
  <div class="homeButton" id="purple"><a href="
Head Office-02.png" /></p><h2 class="purple"><MadCap:variabl
efficiently run your business.</p></a>
  </div>
</div>
<div class="row outer-row center">
  <div class="small-12 medium-3 columns">
```



```
<div id="contentBody">
  <div class="row collapse">
    <div class="sideContent">
      <div class="clearfix">
        <MadCap:topicToolbarProxy style="mc-
toolbar-standard.flskin" />
      </div>
      <MadCap:menuProxy style="mc-toc-depth: 2
True;mc-include-children: False;" data-mc-skin="/Project/Skins/f
      </div>
      <MadCap:breadcrumbsProxy /><a name="top"></a>
      <MadCap:bodyProxy />
    </div>
  </div>
```

Master Page - NXT



Rev. Nov 2017

- › Simplified code
 - Less (hand-written) code
 - Grid system – see Flare help
 - CSS
 - Reference:
<http://help.madcapsoftware.com/flare2017r3/Content/Flare/Responsive-Web-Design/Responsive-Content.htm>



Header (@ media print)	
Breadcrumbs	Toolbar
Body	Menu
Footer (L)	Footer (R)

Top page arrow

Image (+anchored ref)	<pre><div class="page-top"></div></pre>
CSS	<pre>.page-top /*Arrow up in Master Page*/ { position: fixed; bottom: 0; right: 0; z-index: 99; }</pre>
FontAwesome (+anchored ref)	<pre><div class="page-top"><i class="fa fa-chevron-circle-up fa-3x" aria-hidden="true"></i> </div></pre>
CSS (+hover)	<pre>.fa-chevron-circle-up /*page top icon */ { color: #a6ce39; background-color: #ffffff; } .fa-chevron-circle-up: hover { color: rgba(166,206,57,0.5); }</pre>



News ribbon

Reporting - Release 06 2017 (20 September 2017)



- › Slideshow
 - Slides displayed: 1


- › Playback
 - Loop
 - Vertical transition



Mini ToC

- › Border 4px
- › Inline-block
- › Added padding

```
p.inThisTopic /*Use with (mini)TOC and ListOf proxies*/
{
  border-bottom-style: solid;
  border-bottom-width: 4px;
  font-size: 1.2em;
  padding-bottom: 1em;
  display: inline-block;
  border-bottom-color: #a6ce39;
  font-weight: bold;
}
```



Manual dispensing

In this section

Best,
Rachel

Rachel Kim • Marketing Manager
MadCap Software, Inc.

Help Topics

This section contains topics to help you use the MedView Health Professional Portal.

Glossary

[Getting Started with the MedView Health Professional Portal](#)

Your MedView User Account


Manage Patients

Medicines List

Medication Profile

Integrations with Other Systems


Skin – HTML5 Top Navigation





- › Background image min. 1920 px width
- › Set to repeat
- › Search > Layout > Display:Block
- › Search is hidden on home page

```
nav.tab-bar > .nav-search
{
  display: none;
}
```

- › Search proxy added to home.htm



MedView - Health Professional Portal (HPP)



- <http://webhelp.medview.com.au/medview/practitioner/hpp.htm>

Skin – Modify Header for Homepage



- › Skin > Header > Background: image.png
- › Homepage – Override in CSS

```
nav.tab-bar /*skin header override for homepage - light grey*/  
{  
  background-color: rgba(88,89,91, 0.10);  
  background-image: none;  
}
```

Skins – Menu items


- › Remove Chevrons
- › CSS

```
ul.navigation ul > li.has-children > a::after /*remove the chevrons from the sub-menus*/  
{  
  content: "";  
}
```



Skins – Menu items

- › Style inspector to isolate element
 - Browser-specific developer tools
 - Right-click an element in a page and click “Inspect element”
 - CSS
- › direct child selector



```
▼<ul class="navigation clearfix" data-mc-css-tree-node-has-children="has-children" data-mc-css-sub-menu="sub-menu" data-mc-expand-event="mouseenter" data-mc-top-nav-menu="True" data-mc-max-depth="2" data-mc-include-icon="False" data-mc-include-indicator="False" data-mc-include-children="True" data-mc-include-siblings="True" data-mc-include-parent="True" data-mc-toc="True" data-mc-chunk="Data/Toc.xml">
  ::before
  ▼<li class="has-children" data-mc-id="0">
    <a href=" ../home.htm">Fred NXT</a>
    ▼<ul class="sub-menu">
      ▼<li data-mc-id="11">
        <a href=" ../Dispense/fred-nxt-dispense.htm">Fred NXT Dispense</a> == $0
      </li>
      ▶<li data-mc-id="12">...</li>
      ▶<li data-mc-id="13">...</li>
      ▶<li data-mc-id="14">...</li>
      ▶<li data-mc-id="15">...</li>
      ▶<li data-mc-id="16">...</li>
      ▶<li data-mc-id="17">...</li>
      ▶<li data-mc-id="18">...</li>
    </ul>
  </li>
</ul>
div div div nav div div.relative.clearfix div.navigation-wrapper.nocontent ul.navigation.clearfix li.has-children ul.sub-menu li a
```


```
ul.navigation > li.has-children > ul.sub-menu > li /*each sub-menu entry has thin white border (bottom only)*/
{
  border-bottom: solid 1px #ffffff;
  border-top: none;
}

ul.navigation > li.has-children > ul.sub-menu > li > a:hover /*border for nav menu dropdown item*/
{
  border-bottom: solid 3px #a6ce39;
  border-top: none;
}
```

Skins – Menu items

- › Leveraging CSS & HTML5 to Enhance Your MadCap Flare Output: Part 1 - 27 Oct 2015
- › CSS – DOM (in recording)
- › <https://www.madcapsoftware.com/webinars/leveraging-css-html5-to-enhance-madcap-flare-output-part-1/>

Skin – Menu item with Hover effect



- › Locate in Browser > Inspect element
- › Add override in CSS

```
ul.navigation > li > a:hover /*green radius for top menu item*/  
{  
  border-radius: 25px;  
  background-color: #49a942;  
  padding: 0px 20px 0px 20px;  
}
```

```
▼ <ul class="navigation clearfix" data-mc-css-tree-node-has-children="has-children" data-mc-css-sub-menu="sub-menu" data-mc-expand-event="mouseenter" data-mc-top-nav-menu="True" data-mc-max-depth="2" data-mc-include-icon="False" data-mc-include-indicator="False" data-mc-include-children="True" data-mc-include-siblings="True" data-mc-include-parent="True" data-mc-toc="True" data-mc-chunk="Data/Toc.xml">  
  ::before  
  ▶ <li class="has-children" data-mc-id="0">...</li>  
  ▼ <li data-mc-id="1" class>  
    <a href="hpp-faq.htm">FAQs</a> == $0  
  </li>  
  ▶ <li data-mc-id="2" class>...</li>  
  ▶ <li class="has-children" data-mc-id="3">...</li>  
  ▶ <li data-mc-id="4">...</li>  
  ::after  
</ul>  
</div>  
▶ <button class="menu-icon" data-toggle="offCanvas" aria-expanded="false" aria-controls="offCanvas">...</button>  
</div>  
::after  
</div>  
::after  
div div div nav div div.relative.clearfix div.navigation-wrapper.nocontent ul.navigation.clearfix li a
```

Tools

› What?

- Notepad or Notepad ++
- Text editor tab
- Preview tab
- Browser > Inspect element

› Where?

- Madcap Software [Customer Showcase](#)
- Anything else on web sites, mags
- Other applications



Tool bar – Custom button

- › Expand Dropdown Text Before Printing
 - MadCap Software Forums/Dave Lee
 - <https://forums.madcapsoftware.com/viewtopic.php?f=13&t=21454&p=109479>
 - Wishlist



- › Cancel a purchase order (before sending)
- › Send purchase orders (manual)
- › Send purchase orders (PharmX)
- › Review out of stock products
- › Create a manual invoice

Tool bar – Custom button



Setup	Language:	English (United Kingdom)	
Styles			
UI Text			
Name	Property	Value	
Toolbar Button.Select Skin	Tooltip	Select skin	
Toolbar Button.Remove Highlight	Tooltip	Remove Highlights	
Toolbar Button.Print	Tooltip	Print	
Toolbar Button.Previous Topic	Tooltip	Navigate previous	
Toolbar Button.Next Topic	Tooltip	Navigate next	
Toolbar Button.Login	Tooltip	Login	
Toolbar Button.Expand All	Tooltip	Expand all	
Toolbar Button.Collapse All	Tooltip	Collapse all	
Toolbar Button.Topic Ratings (full)	Tooltip	Click a star to rate this topic	
Toolbar Button.Topic Ratings (empty)	Tooltip	Click a star to rate this topic	
Toolbar Button.Select Language	Tooltip	Change language	
Toolbar Button.Current Topic Index	Format	{n} of {total}	
Toolbar Button.PrintExpand	Tooltip	Expand and Print	
Toolbar Button.Edit User Profile	Tooltip		
Toolbar Button.disp-keys	Tooltip		
Toolbar Button.pos-grg	Tooltip		

```
MadCap.TextEffects.TextEffectControl.ExpandAll  
("open"); setTimeout(function(){ window.print(); },  
1500);
```



Expand and Print

Tool bar – Custom button

- › Forums
- › Dave Lee (in conversation)
- › <https://forums.madcapsoftware.com/viewtopic.php?f=9&t=28735&p=129412>
- › Create custom button
- › Add image
- › Event

```
document.location.href="mailto:you@yourcompany.com?subject=Feedback (Topic: "+document.title+" )&body=File: "+location.href+"%0A%0AComments:%0A%0A";
```

```
document.location.href="mailto:fred@fred.com.au?subject=We need to talk about this - "+document.title+" &body=Location: "+location.href+"%0A%0A Comments: Thank you for contacting Fred IT. Please provide your feedback on this topic.";
```

- %0A – Line Feed. %0D – Carriage return
- see URL Encoding Reference - https://www.w3schools.com/tags/ref_urlencode.asp

Print

Feedback

Send	To...	fred@fred.com.au
	Cc...	
	Subject	We need to talk about this - Manage Patients

Location: <http://webhelp.medview.com.au/medview/practitioner/help-topics/hpp-manage-patients.htm>

Comments: Thank you for contacting Fred IT. Please provide your feedback on this topic.

Hovermap Plug in

- › Mike Kelley Consulting - Blog


- <https://mike.kelley.consulting/blog/how-to-make-and-use-hover-maps-in-flare>

- › In NXT

- http://webhelp.fred.com.au/nxt/Dispense/r_dispense-main-screen.htm
 - <http://webhelp.fred.com.au/nxt/Dispense/pricing-details.htm>

Sitemap

- › Dave Lee
- › <https://forums.madcapsoftware.com/viewtopic.php?f=12&t=26904>
- › Menu – skin component
- › Topic + Menu Proxy
- › Script



- <http://webhelp.fred.com.au/nxt/Reference/sitemap.htm>

UAT Manual - PDF

- › Single-sourced from topics
- › UAT Original content
- › Omitted content via conditional tagging
 - ie: Video, Related topics, Short description
- › PDF
 - <http://webhelp.fred.com.au/nxt/UAT/uat.htm>

Wishlist

- › RSS Feed
- › ListOf – Topics by Date Created
- › Sitemap
- › Print/Expand button in Toolbar

Re-design(s)

- › Stay “on trend”
- › Code and style review
- › Use new Out-of-the-Box features
- › Practice –
- › Create sound basis for fast revisions
(Oct/Nov 2017)

Links

- › TopNav Tutorial

<http://help.madcapsoftware.com/flare2017r3/Content/Flare/Tutorials/Top-Navigation-Adv/Top-Navigation-Adv.htm>

- › MadCap Blogs & Webinars

- › Customer Showcase


<https://www.madcapsoftware.com/customers/customer-showcase/>

- › Slack

<https://madcapflareusergroups.slack.com>

- › W3C References and MSDN

New Modern Top Navigation Templates Now Available



DOWNLOAD TEMPLATES -->



Take Advantage of Certified Training

Led by MadCap Flare Certified Instructor Mike Hamilton, this 4-day online training course will cover a variety of topics including creating a project in Flare, importing content, and publishing content to print, mobile devices and to the web.



**MadCap Flare Basic/Intermediate
Training Course: Web-based (AU Time)**
February 13-16, 2018 (web-based)

[Register >>](#)

For additional details, contact
sales@madcapsoftware.com

Note: Courses subject to change. Availability based on student registration. Certain restrictions apply; cannot be combined with any other offer or promotion. Not valid on courses already purchased.



JUNE 3-6, 2018 | HOTEL DEL CORONADO | SAN DIEGO, CALIFORNIA

*Register by December 31, 2017 to Save \$600
On Your Conference Registration*

WWW.MADCAPSOFTWARE.COM/EVENTS/MADWORLD

FRED

Thank You!

Questions?