

# GOODBYE TRIPANE, HELLO FRAMELESS TOP NAVIGATION Part 2

Presented by: PAUL STOECKLEIN

MadCap Software Documentation Manager




# AGENDA

LEFTOVERS

STYLES FOR HOME PAGE (Responsive Content)

# LEFTOVERS

HIDE TOP MENU – SHOW FULL TOC IN FLYOUT PANE





# Welcome to FictionSoft's Online Help

The Place to Find Information, Tutorials, FAQs, and More

Search



# Welcome to FictionSoft's Online Help

Information, Tutorials, FAQs, and More



Getting Started »

Links and Lists »

Images »

More Features »



General

**Skin**

Conditional Text

Variables

Publishing

Glossary

Relationship Table

Advanced

Performance

Community

Language

Warnings

General

Skin:

HTML5 - Top Navigation

Edit

Component Default Skins

Menu:

(default)

Edit

Topic Toolbar:

(default)

Edit

Search Bar:

(default)

Edit

Search Results:

(default)

Edit

Responsive Output Settings (Overrides)

Tablet Breakpoint:

1279



px

Mobile Breakpoint:

767



px

☐ Use device width media queries

General

**Skin**

Conditional Text

Variables

Publishing

Glossary

Relationship Table

Advanced

Performance

Community

Language

Warnings

General

Skin:

HTML5 - Top Navigation

Edit

Component Default Skins

Menu:

(default)

Edit

Topic Toolbar:

(default)

Edit

Search Bar:

(default)

Edit

Search Results:

(default)

Edit

Responsive Output Settings (Overrides the Skin)

Tablet Breakpoint:

5000 px

Mobile Breakpoint:

767 px

☐ Use device width media queries

# Welcome to FictionSoft's Online Help

The Place to Find Information, Tutorials, FAQs, and More



Getting Started



Basic Steps



What's New

## Meet FictionSoft

FictionSoft gives you the following:

- » State-of-the-art interface
- » Quality widgets
- » Fun for the whole family
- » Flexible, easy to use, and quite pretty

## PDF Guides

PDF  
TITLE


PDF  
TITLE

PDF  
TITLE



# LEFTOVERS

## SIDE CONTEXT-SENSITIVE MENU AND DUPLICATE TOC ITEMS



- ▶ Get Started
- ▶ Basic Steps
  - Step 1: Starting Projects
  - Step 2: Adding Elements to Projects
  - Step 3: Making It Look Good
  - Step 4: Developing Output
  - Step 5: Building Output
  - Step 6: Distributing Output
- ▶ Features
  - ▶ Editor Tools
  - ▶ Elements and Objects
  - ▶ Importing
  - ▶ Language Support
  - ▶ Managing Your Project
  - ▶ Output
  - ▶ Search
  - ▶ Styling, Formatting, and Skins
  - ▶ Additional Features
- ▶ Interface
- ▶ Tutorials

You are here: [Basic Steps](#) > Step 1: Starting Projects



## Starting Projects

The first step in developing a project after you launch Flare is to start a project.

- ▶ WAYS TO START PROJECTS
- ▶ FILES
- ▶ WHAT'S NEXT?

### Basic Steps

#### Step 1: Starting Projects

- Step 2: Adding Elements to Projects
- Step 3: Making It Look Good
- Step 4: Developing Output
- Step 5: Building Output
- Step 6: Distributing Output



## Adding Elements and Objects

As soon as you start a project, you can do any number of things with it. Technically, you could build the final output immediately. However, if it is a new project, building the output right away would not do your end users much good, since the output does not yet have any real substance. The project needs topics, content, cross-references, navigation, and all of the other elements necessary to help your end users.

► WHAT YOU CAN ADD TO A PROJECT

► WHAT'S NEXT?

### Features

Editor Tools

**Elements and Objects**

Condition Tags

Images

Master Pages

Multimedia

Navigation and Links

Page Layouts

Snippets

Tables

Topics

Variables

Additional Elements and Objects

Importing

Language Support

Managing Your Project

Output

Search

Styling, Formatting, and Skins

Additional Features

# LEFTOVERS

## SIDE MENU AND DUPLICATE TOC ITEMS

### Workaround:

1. Create snippet containing all of the topic content.
2. Create copy of topic for each instance in TOC.
3. Link each topic to a different TOC entry.
4. In topic properties, tell Flare not to include extra topics in search.

Properties

General

**Topic Properties**

File Tags

Conditional Text

Snippet Conditions

Language

Topic Title: (Always use first topic heading)

Topic Style Class:

Stylesheet: styles


Description:

Searchable

☐ Include topic when full-text search database is generated

This feature is available only for DotNet Help and all of the WebHelp targets.

OK Cancel



# STYLES FOR HOME PAGE

LET'S START BY REVIEWING THE OUTPUT...

WHAT DO THE STYLES AND DESIGN HAVE TO DO WITH TOP NAVIGATION?

NOW LET'S LOOK AT THE HOME TOPIC IN THE EDITOR...

# DIV=CONTAINER

# THINK INVISIBLE RECTANGLES

```
<div>...  
</div>
```







# NESTED DIVS = CONTAINERS WITHIN CONTAINERS


```
<div>  
  <div>...  
  </div>  
</div>
```















# SOME STYLES ARE FOUND IN THE HOME PAGE STYLESHEET






# OTHER STYLES ARE FOUND IN A HIDDEN “FOUNDATION” STYLESHEET LOCATED WHERE YOU INSTALLED FLARE

<< Program Files (x86) > MadCap Software > MadCap Flare V11 > Flare.app > Resources > WebHelp2 > Desktop > Skins > Fluid > Stylesheets			
Name	Date modified	Type	Size
 Images	3/26/2015 8:30 AM	File folder	
 foundation.5.5.0	3/6/2015 5:18 PM	CSS File	72 KB
 Mobile	3/6/2015 5:17 PM	CSS File	1 KB
 Styles	3/6/2015 5:17 PM	CSS File	6 KB
 Tablet	3/6/2015 5:17 PM	CSS File	3 KB



# WORKING IN THE TEXT EDITOR – STYLES





# HOLY CRAZY LOOKING STYLES, BATMAN!

## HOME PAGE CSS IN TEMPLATE PROJECT

```
#contentBody > .responsive-header
{
    background-color: transparent;
}

/* Content Section */

#content-section
{
    padding-top: 60px;
    padding-bottom: 60px;
    background-color: #e6e6e6;
    margin-top: -50px;
}

#content-section h3
{
    font-weight: normal;
}

.right-section div.button-group, .left-section div.button-group
{
    margin-top: 20px;
}
```

## FOUNDATION CSS IN APP FOLDER

```
.small-pull-11 {
    position: relative;
    right: 91.66667%;
    left: auto; }

.column,
.columns {
    position: relative;
    padding-left: 0.9375em;
    padding-right: 0.9375em;
    float: left; }

.small-1 {
    width: 8.33333%; }

.small-2 {
    width: 16.66667%; }

.small-3 {
    width: 25%; }
```

```
Styles.css x Styles.css x Start Page x
Text Editor

37
38 h6
39 {
40     font-weight: bold;
41     font-size: 8.0pt;
42 }
43
44 p
45 {
46     font-family: Arial;
47 }
48
49 ol,
50 ul
51 {
52     margin-top: 0px;
53     margin-bottom: 0px;
54 }
55
56 img
57 {
58     border: none;
59 }
```

```
p
{
    color: #5a5a5a;
    margin-bottom: 8px;
    margin-top: 8px;
}
```

```
p.Copyright
{
    font-size: 0.9em;
    text-align: left;
    color: #888888;
    line-height: 1.6em;
    margin: 0 0 10px 0;
}
```

```
p
{
    color: #5a5a5a;
    margin-bottom: 8px;
    margin-top: 8px;
}
```

```
p.Copyright
{
    font-size: 0.9em;
    text-align: left;
    color: #888888;
    line-height: 1.6em;
    margin: 0 0 10px 0;
}
```

```
.centered-text
{
    text-align: center;
}
```

GENERIC STYLE CLASS  
CAN BE USED WITH ANY STYLE

Home.htm

StylesForHomePage.css x MainStyles.css x Home.htm x Start Page x

Layout (Web) Medium (default) Page Layout

MadCap:variable

p

ul>- ||
- ||
- ||
- ||
- ||
- ||

div

divh3

ProductNam FictionSoft gives you the following:

- » State-of-the-art interface
- » Quality widgets
- » Fun for the whole family
- » Flexible, easy to use, and quite pretty
- » Full support for this, that, and the other thing
- » No batteries required

Where Do I Begin?

Basic Steps

PDF Guides

Styles

Current Style and Local Formatting

p

Edit Style Create Style...

Available Styles

(reset class)

.button

.button.black

.center

.centered-text

.columns

footer

.footer-icons

footer-links

Home.htm

StylesForHomePage.css x MainStyles.css x Home.htm x Start Page x

Layout (Web) Medium (default) Page Layout

(text markup)

p

ul

li

li

li

li

li

li

div

div

div

div

h3

ProductName

 Soft gives you the following:

- » State-of-the-art interface
- » Quality widgets
- » Fun for the whole family
- » Flexible, easy to use, and quite pretty
- » Full support for this, that, and the other thing
- » No batteries required

Where Do I Begin?

Basic Steps

PDF Guides

Current Style and Local Formatting

li

Edit Style Create Style...

Available Styles

(reset class)

.button

.center

.centered-text

.columns



footer

.footer-icons

.footer-links

.footer-logo

# WORKING IN THE TEXT EDITOR – TOPICS



# MULTIPLE STYLE CLASSES APPLIED IN THE HTML

```
<div id="content-section" class="mc-blurb">
  <div class="row outer-row">
    <div class="left-section small-12 medium-7 columns">
      <div class="left-content">
        <h3 class="SubCenter">Meet <MadCap:variable n
        <p><MadCap:variable name="General.ProductName
        <ul class="mc-bullets">
          <li value="1">State-of-the-art interface<
          <li>Quality widgets</li>
          <li value="2">Fun for the whole family</li>
          <li value="3">Flexible, easy to use, and
          <li value="4">Full support for this, that
          <li value="5">No batteries required</li>
        </ul>
      </div>
    </div>
```

POSSIBLE, BUT MUST BE  
DONE IN TEXT EDITOR

SEPARATE EACH CLASS  
WITH A SPACE

# MEDIA QUERIES

## SIMILAR TO FLARE STYLE MEDIUMS

Stylesheet Editor | View: Simplified | Add Class | Add Pseudo Class | Rename | Manage Font Sets | Options

Show Paragraph Styles | Hide Inherited | Hide Properties | Medium: print | B I U | Century Gothic

Name	Tag	Class	Pseudo Class	Preview	Color
h1	h1			MadCa	
h2	h2			MadCap	
h3	h3			MadCap S	
h4	h4			MadCap Soft	
h5	h5			MadCap Softw	
h6	h6			MadCap Software	
p	p			MadCap Sof	
div	div			MadCap Softv	
address	address			MadCap Softv	

Styles.css | Styles.css | Start Page

Text Editor

```
77     color: #777777;  
78     font-style: italic;  
79 }  
80  
81 MadCap|dropDownHotspot  
82 {  
83     cursor: hand;  
84     font-style: italic;  
85     text-decoration: none;  
86     color: #006600;  
87 }  
88  
89 @media print  
90 {  
91     p  
92     {  
93         font-family: 'Century Gothic';  
94     }  
95 }  
96
```

MEDIUM = **ALLOWS DIFFERENT STYLES DEPENDING ON TARGET**

MEDIA QUERY = **ALLOWS DIFFERENT STYLES DEPENDING ON MEDIA  
FEATURES (E.G., WIDTH, ORIENTATION, RESOLUTION)**



```

/* Medium Layout */
@media only screen and (max-width: 64.063em)
{
    #content-section .right-section,
    #content-section .left-section
    {
        padding: 0;
    }

    div.slidingshow
    {
        width: 100%;
    }

    .left-section div.button-group > div
    {
        margin-bottom: 20px;
    }

    .footer
    {
        padding-top: 20px;
        padding-bottom: 20px;
    }
}

/* Small Layout */
@media screen and (max-width: 40em)
{
    MadCap|searchBarProxy.homeSearchBar
    {
        width: 100%;
    }

    div.topichero h1
    {
        font-size: 2em;
    }
}

```

TABLET SIZE (I.E., MEDIUM SIZE)

@media only screen and (max-width: 64.063em)

MOBILE SIZE (I.E., SMALL SIZE)

@media only screen and (max-width: 40em)

EM IS RELATIVE, SIMILAR TO PERCENTAGE

SOME SAY EM UNITS PREFERRED OVER  
PIXELS IN MEDIA QUERIES

ADDITIONAL MEDIA QUERIES EXIST IN  
FOUNDATION STYLESHEET

# FOUNDATION STYLES (GRIDS)

## Meet FictionSoft

FictionSoft gives you the following:

- » State-of-the-art interface
- » Quality widgets
- » Fun for the whole family
- » Flexible, easy to use, and quite pretty
- » Full support for this, that, and the other thing
- » No batteries required

[Where Do I Begin?](#)

[Basic Steps](#)

## PDF Guides

PDF TITLE

PDF TITLE

PDF TITLE

PDF TITLE

PDF TITLE

PDF TITLE

[View More PDFs](#)

## Meet FictionSoft

FictionSoft gives you the following:

- » State-of-the-art interface
- » Quality widgets
- » Fun for the whole family
- » Flexible, easy to use, and quite pretty
- » Full support for this, that, and the other thing
- » No batteries required

[Where Do I Begin?](#)

[Basic Steps](#)

## PDF Guides

PDF TITLE

PDF TITLE

PDF TITLE

PDF TITLE

PDF TITLE

PDF TITLE


[View More PDFs](#)

# FOUNDATION: FRONT-END FRAMEWORK FOR WEB DEVELOPERS

## FOUNDATION.ZURB.COM

### MOBILE-FIRST APPROACH

### REMEMBER THE HIDDEN FOUNDATION STYLESHEET?



The screenshot shows a Windows File Explorer window with the address bar displaying the path: < Program Files (x86) > MadCap Software > MadCap Flare V11 > Flare.app > Resources > WebHelp2 > Desktop > Skins > Fluid > Stylesheets. The main content area shows a list of files and folders. The file 'foundation.5.5.0' is highlighted with a red box, indicating it is the 'hidden' stylesheet mentioned in the text.

Name	Date modified	Type	Size
Images	3/26/2015 8:30 AM	File folder	
foundation.5.5.0	3/6/2015 5:18 PM	CSS File	72 KB
Mobile	3/6/2015 5:17 PM	CSS File	1 KB
Styles	3/6/2015 5:17 PM	CSS File	6 KB
Tablet	3/6/2015 5:17 PM	CSS File	3 KB

```
.row {
  width: 100%;
  margin-left: auto;
  margin-right: auto;
  margin-top: 0;
  margin-bottom: 0;
  max-width: 62.5em; }
.row:before, .row:after {
  content: " ";
  display: table; }
.row:after {
  clear: both; }
.row.collapse > .column,
.row.collapse > .columns {
  padding-left: 0;
  padding-right: 0; }
.row.collapse .row {
  margin-left: 0;
  margin-right: 0; }
```

```
.column.small-centered,
.columns.small-centered {
  margin-left: auto;
  margin-right: auto;
  float: none; }

.column.small-uncentered,
.columns.small-uncentered {
  margin-left: 0;
  margin-right: 0;
  float: left; }
```

```
.small-1 {
  width: 8.33333%; }

.small-2 {
  width: 16.66667%; }

.small-3 {
  width: 25%; }

.small-4 {
  width: 33.33333%; }

.small-5 {
  width: 41.66667%; }

.small-6 {
  width: 50%; }

.small-7 {
  width: 58.33333%; }

.small-8 {
  width: 66.66667%; }

.small-9 {
  width: 75%; }

.small-10 {
  width: 83.33333%; }

.small-11 {
  width: 91.66667%; }

.small-12 {
  width: 100%; }
```

```
.medium-1 {
  width: 8.33333%; }

.medium-2 {
  width: 16.66667%; }

.medium-3 {
  width: 25%; }

.medium-4 {
  width: 33.33333%; }

.medium-5 {
  width: 41.66667%; }

.medium-6 {
  width: 50%; }

.medium-7 {
  width: 58.33333%; }

.medium-8 {
  width: 66.66667%; }

.medium-9 {
  width: 75%; }

.medium-10 {
  width: 83.33333%; }

.medium-11 {
  width: 91.66667%; }

.medium-12 {
  width: 100%; }
```

```
.large-1 {
  width: 8.33333%; }

.large-2 {
  width: 16.66667%; }

.large-3 {
  width: 25%; }

.large-4 {
  width: 33.33333%; }

.large-5 {
  width: 41.66667%; }

.large-6 {
  width: 50%; }

.large-7 {
  width: 58.33333%; }


.large-8 {
  width: 66.66667%; }

.large-9 {
  width: 75%; }

.large-10 {
  width: 83.33333%; }

.large-11 {
  width: 91.66667%; }

.large-12 {
  width: 100%; }
```



START WITH A **DIV** TAG THAT HAS THE **ROW** CLASS

```
<div class="row">  
</div>
```


```

<div class="row outer-row">
  <div class="left-section small-12 medium-7 columns">
    <div class="left-content">
      <h3 class="SubCenter">Meet <MadCap:variable name="General
      <p><MadCap:variable name="General.ProductName" /> gives y
      <ul class="mc-bullets">
        <li value="1">State-of-the-art interface</li>
        <li>Quality widgets</li>
        <li value="2">Fun for the whole family</li>
        <li value="3">Flexible, easy to use, and quite pretty
        <li value="4">Full support for this, that, and the o
        <li value="5">No batteries required</li>
      </ul>
    </div>
    <div class="button-group center row">
      <div class="button black small-12 small-centered large-us
      </div>
      <div class="button black small-12 small-centered large-us
      </div>
    </div>
  </div>
  <div class="right-section small-12 medium-5 end columns">
    <div class="right-content">
      <h3 class="SubCenter">PDF Guides</h3>
      <div class="table-images center row">
        <div class="small-4 columns"><a href="http://docs.mad

```

ADD NESTED **DIV** TAGS THAT HAVE THE **COLUMN** OR **COLUMNS** CLASS

```
<div class="row">  
  <div class="columns">...  
</div>  
  <div class="columns">...  
</div>  
</div>
```






```

<div class="row outer-row">
  <div class="left-section small-12 medium-7 columns">
    <div class="left-content">
      <h3 class="SubCenter">Meet <MadCap:variable name="General
      <p><MadCap:variable name="General.ProductName" /> gives
      <ul class="mc-bullets">
        <li value="1">State-of-the-art interface</li>
        <li>Quality widgets</li>
        <li value="2">Fun for the whole family</li>
        <li value="3">Flexible, easy to use, and quite pre
        <li value="4">Full support for this, that, and the
        <li value="5">No batteries required</li>
      </ul>
    </div>
    <div class="button-group center row">
      <div class="button black small-12 small-centered large
      </div>
      <div class="button black small-12 small-centered large-u
      </div>
    </div>
  </div>
  <div class="right-section small-12 medium-5 end columns">
    <div class="right-content">
      <h3 class="SubCenter">PDF Guides</h3>
      <div class="table-images center row">
        <div class="small-4 columns"><a href="http://docs.mad

```



ADD **SMALL**, **MEDIUM**, AND **LARGE** CLASSES TO SPECIFY WIDTH PER MEDIA QUERY

A CLASS WITH **12** MEANS FULL WIDTH

OTHERWISE USE CLASSES THAT **ADD UP TO 12**

```
<div class="row">
```

```
  <div class="small-12 medium-7 columns">...
```

```
</div>
```

```
  <div class="small-12 medium-5 columns">...
```

```
</div>
```

```
</div>
```

## SMALL SCREEN (MOBILE DEVICES)

```
<div class="row">  
  <div class="small-12 medium-7 columns">...  
</div>  
  <div class="small-12 medium-5 columns">...  
</div>  
</div>
```

Small Design

100%

100%



# MEDIUM SCREEN (TABLETS)

## LARGE SCREEN INHERITS

```
<div class="row">  
  <div class="small-12 medium-7 columns">...  
</div>  
  <div class="small-12 medium-5 columns">...  
</div>  
</div>
```

Medium (and Large) Design


58.33333%

41.66667%

```

<div class="row outer-row">
  <div class="left-section small-12 medium-7 columns">
    <div class="left-content">
      <h3 class="SubCenter">Meet FictionSoft</h3>
      <p><MadCap:variable name="General.ProductName" /> gives you the following:
      <ul class="mc-bullets">
        <li value="1">State-of-the-art interface</li>
        <li value="2">Quality widgets</li>
        <li value="3">Fun for the whole family</li>
        <li value="4">Flexible, easy to use, and quite pretty</li>
        <li value="5">Full support for this, that, and the other thing</li>
        <li value="6">No batteries required</li>
      </ul>
    </div>
    <div class="button-group center row">
      <div class="button black small-12 small-centered large-up-12">
        Where Do I Begin?
      </div>
      <div class="button black small-12 small-centered large-up-12">
        Basic Steps
      </div>
    </div>
  </div>
  <div class="right-section small-12 medium-5 end columns">
    <div class="right-content">
      <h3 class="SubCenter">PDF Guides</h3>
      <div class="table-images center row">
        <div class="small-4 columns"><a href="http://docs.madcapsoft.com">

```



# FOUNDATION.ZURB.COM/DOCS/COMPONENTS/GRID.HTM

Foundation

Learn

Develop

Support

Business

Docs

Getting Started

Foundation Documentation

Search Docs: e.g. forms

Download Foundation

SETUP

Getting Started

CSS

Sass

Sass Files

Using Sass

Applications

JavaScript

Global Styles

Kitchen Sink

Accessibility

Upgrading

STRUCTURE

Media Queries

Visibility

Grid

Block Grid

Interchange Responsive

Content JS

## Grid

Create powerful multi-device layouts quickly and easily with the default 12-column, nest-able Foundation grid. If you're familiar with grid systems, you'll feel right at home. If not, you'll learn quickly.

### Basic

Start by adding an element with a class of `row`. This will create a horizontal block to contain vertical columns. Then add divs with a `column` class within that row. You can use `column` or `columns` - the only difference is grammar. Specify the widths of each column with the small-#, medium-#, and large-# classes.


**Foundation is mobile-first.** Code for small screens first, and larger devices will inherit those styles. Customize for larger screens as necessary.

#### HTML

```
<div class="row">
  <div class="small-2 large-4 columns">...</div>
  <div class="small-4 large-4 columns">...</div>
  <div class="small-6 large-4 columns">...</div>
</div>
<div class="row">
  <div class="large-3 columns">...</div>
  <div class="large-6 columns">...</div>
  <div class="large-3 columns">...</div>
</div>
<div class="row">
  <div class="small-6 large-2 columns">...</div>
  <div class="small-6 large-2 columns">...</div>
```



# BE A DETECTIVE



# USE THE STRUCTURE BARS

The screenshot displays the MadCap Flare interface. On the left, the Structure Bar shows a hierarchy of elements: a root `div`, followed by two `div` elements, then a `div` with class `left-content` (highlighted by a red arrow), and an `h3` element. Below these are several `div` elements. The main document preview area on the right shows the rendered output. The title "Welcome to MadCap Flare" is at the top, followed by a subtitle "Welcome to MadCap Flare—the first native XML content authoring application, which offers the following:". Below this is a list of features, each preceded by a double right-pointing arrow (»):

- Single-source XML authoring
- Styling with cascading stylesheets (CSS)
- Multi-channel publishing for the Web, desktop, print, and mobile devices
- Full support for left-to-right (LTR) as well as right-to-left (RTL) languages
- Knowledge of XML or HTML not required

At the bottom of the preview area, the text "Where Do I Begin?" and "Content Reuse and More" is visible.

```
/* Small Layout */
@media screen and (max-width: 40em)
{
    MadCap|searchBarProxy.html|searchBar
    {
        width: 100%;
    }

    div.topichero h1
    {
        font-size: 2em;
    }

    div.topichero h3
    {
        font-size: 1.2em;
    }

    #content-section
    {
        padding-top: 30px;
        padding-bottom: 30px;
    }

    .left-content
    {
        margin-bottom: 80px;
    }
}
```

Verizon 4:36 PM

webhelp.madcapsoftware.com

- » Multi-channel publishing for the Web, desktop, print, and mobile devices
- » Full support for left-to-right (LTR) as well as right-to-left (RTL) languages
- » Knowledge of XML or HTML not required

**Where Do I Begin?**

**Content Reuse and More**

## PDF Guides

Getting Started Guide




HTML5 Guide

Key Features Guide

< > ↑ ↺ 📖 📄

# USE THE “INSPECT ELEMENT” IN BROWSERS




## Video Tutorials




PDFs Tips FAQs Company  
Copyright © 2015 My Company Name, LLC



## Video Tutorials



- Back Alt+Left Arrow
- Forward Alt+Right Arrow
- Reload Ctrl+R
- Save as... Ctrl+S
- Print... Ctrl+P
- Translate to English
- View page source Ctrl+U
- View page info
- Inspect element Ctrl+Shift+I**







Winterl

[PDFs](#) [Tips](#) [FAQs](#) [Company](#)

Copyright © 2015 My Company Name, LLC



## Video Tutorials



Winter!

PDFs Tips FAQs Company

Copyright © 2015 My Company Name, LLC



```
<aside class="right-off-canvas-menu" data-mc-ignore="true">
...</aside>
<section class="main-section">
  <div class="row outer-row" data-mc-content-body="True">
    ::before
    <div id="contentBody" class="off-canvas-main">
      <div class="topichero">...</div>
      <div class="slideshow">...</div>
      <div id="content-section" class="mc-turb">...</div>
    <div class="footer center">
      <div class="row outer-row">
        ::before
        <div class="small-12 medium-3 columns">...</div>
        <div class="small-12 medium-6 columns">...</div>
        <div class="small-12 medium-3 footer-icons columns">
          ...</div>
        ::after
      </div>
    </div>
  </div>
</section>
<a class="exit-off-canvas"></a>
::after
```

... div section section div #contentBody div div div.small-12.medium-3.columns


Styles Event Listeners DOM Breakpoints Properties

element.style {  
}

```
@media only foundation.5.5.0.css:769
screen and (min-width: 64.063em)
.column, foundation.5.5.0.css:891
.columns {
  position: relative;
  padding-left: 0.9375em;
  padding-right: 0.9375em;
  float: left;
}
```

```
@media only foundation.5.5.0.css:406
screen and (min-width: 40.063em)
.medium-3 { foundation.5.5.0.css:540
  width: 25%;
}
```


```
@media only foundation.5.5.0.css:406
screen and (min-width: 40.063em)
```



☐ Show inherited properties

```
> box-sizing: border-box;
> cursor: auto;
> display: block;
> float: left;
```





```
▼ <div class="row outer-row" data-mc-content-body="True">
  ::before
  ▼ <div id="contentBody" class="off-canvas-main">
    ▶ <div class="topichero">...</div>
    ▶ <div class="slidingshow">...</div>
    ▶ <div id="content-section" class="mc-lurb">...</div>
    ▼ <div class="footer center">
      ▼ <div class="row outer-row">
        ::before
        ▶ <div class="small-12 medium-3 columns">...</div>
        ▶ <div class="small-12 medium-6 columns">...</div>
        ▶ <div class="small-12 medium-3 footer-icons columns">
          ...</div>
        ::after
      </div>
    </div>
  </div>
</div>
```



```
▼ <div class="row outer-row" data-mc-content-body="True">
  ::before
  ▼ <div id="contentBody" class="off-canvas-main">
    ▶ <div class="topichero">...</div>
    ▶ <div class="slidingshow">...</div>
    ▶ <div id="content-section" class="mc-blurb">...</div>
    ▼ <div class="footer center">
      ▼ <div class="row outer-row">
        ::before
        ▶ <div class="small-12 medium-1 columns">...</div>
        ▶ <div class="small-12 medium-8 columns">...</div>
        ▶ <div class="small-12 medium-3 footer-icons columns">
          ...</div>
        ::after
      </div>
    </div>
  </div>
</div>
```



## Video Tutorials



PDFs Tips FAQs Company

Copyright © 2015 My Company Name, LLC



Content Explorer

Content


- ▶ A\_Getting Started
- ▶ B\_Links and Lists
- ▶ C\_Conditions Notes Tables
- ▶ D\_Images
- ▶ E\_Footer Topics
- ▶ Resources
  - ▶ Images
  - ▶ MasterPages
    - ▶ HomePage.flmsp
    - ▶ OtherTopics.flmsp
- ▶ Stylesheets
- ▶ TableStyles
- ▶ Home.htm
- ▶ Read First.pdf

HomePage.flmsp

Text Editor

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <html xmlns:MadCap="http://www.madcapsoftware.com/Schemas/MadCap.
3   <head>
4     <meta charset="utf-8" />
5     <meta name="description" content="" />
6     <meta name="author" content="" /><title></title>
7     <link href="../../Stylesheets/StylesForHomePage.css" rel="st
8   </head>
9   <body>
10    <div id="contentBody" class="off-canvas-main">
11      <MadCap:bodyProxy />
12      <div class="footer center">
13        <div class="row outer-row">
14          <div class="small-12 medium-3 columns"><a href=
15        </div>
16        <div class="small-12 medium-6 columns">
17          <div class="footer-links"><a href="../../
18          </div>
19          <p class="Copyright">Copyright © 2015 <Ma
20        </div>
21        <div class="small-12 medium-3 footer-icons co
22        </div>
23      </div>
24    </div>
25  </div>
26 </body>
27 </html>
```

```
9 <body>
10 <div id="contentBody" class="off-canvas-main">
11 <MadCap:bodyProxy />
12 <div class="footer center">
13 <div class="row outer-row">
14 <div class="small-12 medium-1 columns"><a href="#">Home</a>
15 </div>
16 <div class="small-12 medium-8 columns">
17 <div class="footer-links"><a href="..">..</a>
18 </div>
19 <p class="Copyright">Copyright © 2015 <MadCap>
20 </div>
21 <div class="small-12 medium-3 footer-icons">
22 </div>
23 </div>
24 </div>
25 </div>
26 </body>
27 </html>
```



THANK YOU FOR ATTENDING TODAY'S WEBINAR!

As a webinar attendee, receive **\$100 OFF** our next advanced training course. Just \$499 per student!

---

**MadCap Flare Responsive HTML5, Mobile, and  
EPUB Training**  
June 16-17, 2015 (web-based)

*\*Offer valid through May 29, 2015.*

*Note: Courses subject to change. Availability based on student registration. Contact us for the latest schedule and course availability.*

TO RECEIVE YOUR DISCOUNT, CONTACT:

**sales@madcapsoftware.com | +1 858.320.0387 opt.1**

QUESTIONS